

LT807E-POE

8 Ports PoE Injector

Our LT807E-POE switch provides 9 high speed Ethernet ports: 1 uplink port and 8 x 10base-T port that supports PoE. It supports IEEE802.3af and can provide 15.4W DC power to 100m. This switch is convenient for CCTV surveillance systems and conferencing systems.

Specifications

LT807E-POE	
Power	AC100V ~ AC240V @ 50/60 Hz
Power Rate	≤15.4 per port
Transmission Media	CAT5/5e/6 Cable
Standard	IEEE802.3af
Protection	Wide voltage AC Input, Strong Lightning Protection, ESD, anti-interfere
Structure	Support for Tablet and wallet installation
	2 sets of PoE injector can connect with the bayonet

Package

LT807E-POE	
1	8 Ports PoE Injector
1	DC 48 V / 2A Power Adapter
1	AC Power Line
1	User Manual

Installation

1. Connect the PoE camera to 8ch PoE Switch Port 1-8 with 8 cables.
2. Connect the 8ch PoE Switch's UPLINK Port to NVR or PC device with one cable.
3. Connect to the device's power.
4. Make sure the network is available and turn ON the device.



Important Notice:

Turn OFF signal source and the device's power as installation with power ON may result in damaging the device.

Troubleshoot

1. Confirm if the installation steps are completed correctly.
2. Confirm the RJ45 cable used conforms to the EIT/TIA568A or 568B industry standards.
3. The maximum output consumption of the PoE port cannot exceed 15.4W.
4. Replace the failing device with a new one to test if the PoE Injector is defective.

